ORIGIANL APPLICATION FOR PERMIT

APPROPRIATE				

Date of first receipt and filing in State Engineer's office APR 30 1923 Returned to applicant for correction MAY 4 1923	<u>></u> _
Corrected application filed	_
The undersigned James Biccilli	
of McGill , County of White Pine	·
State of Nevada , hereby make s application for	٦r
permission to appropriate the public waters of the State of Nevaday, as	
hereinafter stated. (If applicant is a corporation, give date and place	эe
of incorporation.)	
1. The source of the proposed appropriation is springs and Water see Name of stream, lake, or other source	
at common corner being N.W.corner of SW1 of SW1 sec 32 Fm19HN.R.650R and NE corlofnSE1 of SE1 sec 31 fand SEc corlof. NE1 of SE1 sec 31 2. The amount of water applied for is 5 sec feet second-fee one-second-foot equals 40 miners inches	
3. The water to be used for Irregation & domestic Irrigation, power, mining, manufacturing, domestic, or other use	
4. The water is to be diverted from its source at the following point	
Common corner of SW2 of SW2 sec 32 and NE cor of ST 1 sec 31 and Describe as being within a 40-acre subdivision of public survey; or by course and distance to a section-corner. If on unsurveyed land, it should be so state	d.
SE cor of NE ¹ / ₄ of SE ¹ / ₄ sec 31-T.19 N.R 65 East	
IF THE WATER IS TO BE USED FOR IREIGATION, SUPPLY THE FOLLOWING INFORMATION:	
	., .
(a) Number of acres to be irrigated is 160	
(b) Description of land to be irrigated East half of SE1 and E1	
Describe by legal subdivision, or if on unsurveyed land it should	• • ;
NEA sec 30- T 19 N R 65 E Ditch will follow common North and	• • •
NE sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.	· · · .
NEA sec 30- T 19 N R 65 E Ditch will follow common North and	-
NE sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.	
NE sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E.	
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about	ut
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about	ut
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October of each year. Month October for each year. Month IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE	u t
NE Sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October of each year. Month October for each year. Month If WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:	ut
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October of each year. Month October for each year. Month IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE	u t
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October, of each year. Month IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.	ut
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October, of each year. Month IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLowing Information: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.	ut
NE ¹ / _{be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30= and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October of each year. IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.}	ut
NE ¹ / ₄ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October, of each year. Month IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLowing Information: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.	ut
NET Sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October, of each year. Month October for Power, Minning, Transportation, or other use, supply the Following Information: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner. (f) Point of return of water to stream Describe in same manner as point of diversion.	ut
NE ¹ / ₂ sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N R 65 E. (c) Irrigation will begin about April and end about October , of each year. Month October , of each year. Month IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.	ut.
NET Sec 30- T 19 N.R 65 E Ditch will follow common North and be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction. South line between sec 29-30- and 31-32 of T 19 N.R 65 E. (c) Irrigation will begin about April and end about October , of each year. IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION: (d) Power to be developed is horsepower. (e) Works to be located Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.	ut.

DESCRIPTION OF PROPOSED WORKS

Water to be developed by open cuts and delivered by ditches and State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water
pipe line. ditch about 2 feet wide on bottom and two feet deep
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions."
and three feet wide at top.
5. Estimated cost of works \$500 to \$1000
6. Estimated time required to construct works Two months
그리고 있는 것이 없는 것이 되었다. 그는 그는 그는 그는 그를 받는 것이 되었다. 그는 그를 보는 것이 없는 것이 없는 것이 없는 것이 없는 것이다. 그는 그를 받는 것이 없는 것이 없는 것이다.
7. Remarks For use of applicant
James Biccilli Applicant.
By C.A.Eddy his attorney
Compared PP.Jones
This sheet inspected
Engineer.
OF STATE ENGINEER
This is to certify that I have examined the foregoing application,
and do hereby grant the same, subject to the following limitations and
conditions:
The amount of water to be appropriated shall be limited to the amount
which can be applied to beneficial use, and not to exceed
cubic feet per second.
Actual construction work shall begin on or before
Proof of commencement of work shall be filed before
Vork must be prosecuted with reasonable diligence and be completed on o
pefore
Proof of completion of work shall be filed before
Application of water to beneficial use shall be made on or before
Proof of the application of water to beneficia
ase must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this da

State Engineer.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

	-	1 to 1	* -		,				
\mathbf{L}	ESC	rri	PTT	\mathbf{on}	OF.	\mathbf{PR}	OF	POSET) WORKS

Water to be developed by open cuts and delivered by ditches an State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If w	d .
pipe line. Ditch about-2 feet wide on bottom, and two feet de	ер
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions. and three feet wide at top.	
CONTRACTOR AND CONTRACTOR OF THE CONTRACTOR OF T	

5. Estimated cost of works \$500.00 to \$1000.00	
6. Estimated time required to construct works One (1) year.	
7. Remarks These springs and water seeps, are located in the SWAS Sec. 32, SEASEA, NEASEA, Sec. 3150 4.100 PM. R. 65E., and being around	W法。 the
the corner common to the above quarter sections. The water wil	<u>l be</u>
diverted at the confluence of the springs, as described under	No 4
James Biccilli , Applicant.	
By C. A. Eddy	
Compared Har Sayre Withdrawn by applicant Left 12 1750	
This sheet inspected Malaya State Engineer.	
, Engineer.	
PROTESTED AUGUST 21, 1923, BY NEVADA CONSOLIDATED COPPER CO).
OF STATE ENGINEER	
This is to certify that I have examined the foregoing applicati	- 34
and do hereby grant the same, subject to the following limitations a	nd
conditions:	
	,
	* * * *
The amount of water to be appropriated shall be limited to the amoun	t
which can be applied to beneficial use, and not to exceed	
第二条的 5 条件 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.33
cubic feet per second.	
Actual construction work shall begin on or before	
Proof of commencement of work shall be filed before	والمراجع والمراجع
Work must be prosecuted with reasonable diligence and be completed o	n or
before	
Proof of completion of work shall be filed before	* 1 *.
	•
Application of water to beneficial use shall be made on or before	
Proof of the application of water to benefi	cial
ase must be filed with State Engineer on or before	
	<u> </u>
WITNESS MY HAND AND SEAL this	_day
,我们也会一定,我们就是一个人的,我们就是一个人的人,我们就是一个人的人的人,我们就是一个人的人的人的人。""我们也是我们的人的,我们就是一个人的人的人,我们 我们的人的人的人的人的人的人,我们就是我们的人,我们就是我们的人的人的人的人,我们就是一个人的人的人,我们就是一个人的人,我们就是我们的人的人,我们就是一个人的	

State Engineer.